

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	16042	dielectric same waveguide	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
2	BRS	L2	515	1 same (conduct\$3) same coat\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
3	BRS	L3	54	2 and "315"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
4	BRS	L4	24	2 and "313"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	5065	1 same (conduct\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
6	BRS	L6	153432	frequency with (resonan\$2 resonat\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
7	BRS	L7	1380	5 and 6	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
8	BRS	L8	340	plasma adj lamp	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	4	7 and 8	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
10	BRS	L10	16	7 and electrodeless	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B